



Certificate of Calibration

VECTOR SR

Speed and/or Traffic Signals Enforcement Device

"I confirm that the VECTOR SR Enforcement System for Speed and/or Traffic Signals described below has been calibrated to the documented parameters as recorded below using measurement devices calibrated to National Standards in accordance with the Home Office Type Approval for the VECTOR SR device.

All parts and components used in Device Serial Number JE810101123-0365 including any replaced are identical to those used in the device as Type-Approved"

Signed by:

A handwritten signature in blue ink, appearing to read "Derek Penn".

Derek Penn

Director of Operations

Calibrating Engineer:

Stephen Pigden

Annual Inspection Engineer:

Stephen Pigden

Site Code:

0647

Site Name:

A30 FINGLE GLEN, TEDBURN ST MARY, DEVON

Project ID:

P4892SR

Device Location:

50.726, -3.65592

Initial Site Calibration Start Date:

13/12/2023

Annual Inspection Date:

02/12/2024

Radar Factory Calibration Date:

14/11/2023

Valid Until*:

01/12/2025

* Site Calibration Valid until up to one year from Site Calibration / Calibration Inspection Date, or three years from Radar Factory Calibration Date, whichever is sooner.

Jenoptik UK Ltd., Ten Watchmoor Park, Riverside Way, Camberley Surrey GU15 3YL UK



Date	
Initial Site Calibration Start Date	13/12/2023
Annual Inspection Date	02/12/2024

Location	
Site Name	0647 - A30 FINGLE GLEN, TEDBURN ST MARY, DEVON
Device Location	50.726, -3.65592

Asset Calibration	
Device Serial Number	JE810101123-0365
VECTOR Serial Number	SB160723-0322
Device Distance to Notional Stop Line (m)	30
Device Height (m)	5.18
Device Offset (m)	5.515
Site Calibrated by	Stephen Pigden
Site Inspected by	Stephen Pigden

Radar Factory Calibration Report	
FST3 Radar Serial Number	590-113/68860
Radar Factory Calibration Date	14/11/2023
Specified Radar Frequency (GHz)	Measured Radar Frequency (GHz)
24.045	24.038
24.085	24.087
24.125	24.128
24.165	24.167
24.205	24.207
Radar Speed Test	
Simulated Speed (km/h)	Measured Speed (km/h) Approach / Recede
10	10.1 / 10.1
50	50.1 / 50.1
100	100.2 / 100.2
200	199.8 / 199.8
250	249.9 / 249.9
300	300.0 / 300.0

Initial Calibration Tools				
Measuring Tape	Calibration Date:	13/12/2023	Serial Number:	SP-VYS-01
Laser Measure	Calibration Date:	08/03/2023	Serial Number:	332320238
Radar Alignment Tool	Calibration Date:	13/12/2023	Serial Number:	W465-000/60015

Annual Inspection Tools				
Vbox	Calibration Date:	27/09/2024	Serial Number:	088629
Laser Measure	Calibration Date:	21/03/2024	Serial Number:	332320238