

Certificate of Calibration

CERTIFICATE NUMBER: C 201609000339 - 1031 - 20241112

Type/model:	Set serial number: 1031
RS-GS11-UK FIP modular	Sensys Gatso object code: 201609000339
Radar 24 antenna	Serial no: 201609000235
GS11 camera	Serial no: 201610000559
Decision Unit	Serial no: 201609000345
FIP scope	Serial no: 201609000167

Date from: 12 November 2024

Date to: 11 November 2025

Calibrated by: ViTc

The SGG equipment subject to this certificate has been calibrated by manufacturer Sensys Gatso Netherlands using equipment traceable to standards.

Table 1 shows the equipment used for measuring and testing:

ID	Description	Serial number	Type
1398	Handheld DMM	98950160	Fluke 175
1357	Timer / Counter	SM713	PM6665
1302	Handheld DMM	61650069	Fluke 73-II
1358	Timer / Counter	SM791815	PM6666
1511	Microwave Frequency counter	US40490255	53149A
1266	Microwave Frequency counter	US40490167	53149A

Table 1 Calibration test equipment

Table 2 shows a summary of the results recorded during this calibration test:

Description	Result	Tolerance
Shutter timing	500 ms	500ms $\pm$ 5.0ms
Radar frequency for UK	24.092 GHz	24.110 $\pm$ 25 MHz
Speed 18 mph	18 mph	18 mph $\pm$ 1 mph
Speed 43 mph	43 mph	43 mph $\pm$ 1 mph
Speed 74 mph	74 mph	74 mph $\pm$ 1 mph
Speed 112 mph	112 mph	112 mph $\pm$ 1 mph
Speed 149 mph	149 mph	149 mph $\pm$ 1 mph

Table 2 Summary of results

The calibration tests summarized in table 2 meet the tolerance for the equipment subject to this certificate; the device is hereby certified to measure within the stated tolerance of the device throughout its specified range.

Statement of conformity

This device conforms to the device specification as per the Home Office Type Approval for: The Radar Speed Measuring Device (No4) Approval 2012. Any components, if required, used in repair and maintenance are identical to those in the schedule.

Signed for and on behalf of
Sensys Gatso and the executing engineer:

Date: 12 November 2024

E. Hoffman
Quality Assurance Officer