



Certificate of Calibration

SPECS3

Speed Enforcement Zone

"I confirm that the Average Speed Enforcement Zone described below has been calibrated to the documented parameters as recorded below using measurement devices calibrated to National Standards in accordance with the Home Office Type Approval for the SPECS3 device

All parts and components used in Device Serial Number: CA40100124191
including any replaced are identical to those used in the device as Type-Approved"

Signed by:

A handwritten signature in blue ink, appearing to read "Derek Penn".

Derek Penn

Director of Operations

Calibrating Engineer:

Stephen Pigden

Site Name:

A361 E/B btwn Blakes Hill and Aller Cross
Roundabout (Zone1), Barnstaple, Devon

Site Code ref:

50

Direction:

Eastbound

Baseline Length:

814 metres

Date Measured:

09/12/2024

Home Office Type Approval requires this device to be re-calibrated once every 2 years. The Baseline distance is measured at the time of initial calibration and only re-measured if the road layout has changed.

Calibration Date:

17/12/2024

Valid Until:

02/12/2026

CRT7454



Location	
Site Name	A361 E/B btwn Blakes Hill and Aller Cross Roundabout (Zone1), Barnstaple, Devon
Site Code Reference	50

Camera Calibration				
Camera Number	Camera Serial Number	Primary Clock Frequency	Secondary Clock Frequency	Site Calibrated By
1-1	NW170200724-1143	Derived By GPS	999.9991	Stephen Pigden
2-1	NW170200724-1147	Derived By GPS	999.9997	Stephen Pigden

ERCU Configuration	
ERCU Serial Number	CA40100124191
ERCU Site Configuration Data File	SCD20241213074321
SCD File Checksum	C7
SCD File in use from	13/12/2024 07:43:21

Calibration Tools				
Racelogic Vbox	Serial Number:	088629	Calibrated Date:	27/09/2024
Frequency Counter	Serial Number:	556242	Calibrated Date:	11/07/2024
Handwheel	Serial Number:	000069	Calibrated Date:	09/10/2024
Measuring Tape	Serial Number:	SP-VYS-01	Calibrated Date:	03/12/2024
Laser Measure	Serial Number:	332320238	Calibrated Date:	21/03/2024



Certificate of Calibration

SPECS3

Speed Enforcement Zone

"I confirm that the Average Speed Enforcement Zone described below has been calibrated to the documented parameters as recorded below using measurement devices calibrated to National Standards in accordance with the Home Office Type Approval for the SPECS3 device

All parts and components used in Device Serial Number: CA40100124191
including any replaced are identical to those used in the device as Type-Approved"

Signed by:

A handwritten signature in blue ink, appearing to read "Derek Penn".

Derek Penn

Director of Operations

Calibrating Engineer:

Stephen Pigden

Site Name:

A361 E/B btwn Blakes Hill and Aller Cross
Roundabout (Zone2), Barnstaple, Devon

Site Code ref:

51

Direction:

Eastbound

Baseline Length:

2263 metres

Date Measured:

09/12/2024

Home Office Type Approval requires this device to be re-calibrated once every 2 years. The Baseline distance is measured at the time of initial calibration and only re-measured if the road layout has changed.

Calibration Date:

09/12/2024

Valid Until:

02/12/2026

CRT7455



Location	
Site Name	A361 E/B btwn Blakes Hill and Aller Cross Roundabout (Zone2), Barnstaple, Devon
Site Code Reference	51

Camera Calibration				
Camera Number	Camera Serial Number	Primary Clock Frequency	Secondary Clock Frequency	Site Calibrated By
2-1	NW170200724-1147	Derived By GPS	999.9997	Stephen Pigden
3-1	NW170200724-1169	Derived By GPS	999.9987	Stephen Pigden

ERCU Configuration	
ERCU Serial Number	CA40100124191
ERCU Site Configuration Data File	SCD20241213074321
SCD File Checksum	C7
SCD File in use from	13/12/2024 07:43:21

Calibration Tools				
Racelogic Vbox	Serial Number:	088629	Calibrated Date:	27/09/2024
Frequency Counter	Serial Number:	556242	Calibrated Date:	11/07/2024
Handwheel	Serial Number:	000069	Calibrated Date:	09/10/2024
Measuring Tape	Serial Number:	SP-VYS-01	Calibrated Date:	03/12/2024
Laser Measure	Serial Number:	332320238	Calibrated Date:	21/03/2024



Certificate of Calibration

SPECS3

Speed Enforcement Zone

"I confirm that the Average Speed Enforcement Zone described below has been calibrated to the documented parameters as recorded below using measurement devices calibrated to National Standards in accordance with the Home Office Type Approval for the SPECS3 device

All parts and components used in Device Serial Number: CA40100124191
including any replaced are identical to those used in the device as Type-Approved"

Signed by:

A handwritten signature in blue ink, appearing to read "Derek Penn".

Derek Penn

Director of Operations

Calibrating Engineer:

Stephen Pigden

Site Name:

A361 E/B btwn Blakes Hill and Aller Cross
Roundabout (Zone3), Barnstaple, Devon

Site Code ref:

52

Direction:

Eastbound

Baseline Length:

3690 metres

Date Measured:

09/12/2024

Home Office Type Approval requires this device to be re-calibrated once every 2 years. The Baseline distance is measured at the time of initial calibration and only re-measured if the road layout has changed.

Calibration Date:

09/12/2024

Valid Until:

03/12/2026

CRT7456



Location	
Site Name	A361 E/B btwn Blakes Hill and Aller Cross Roundabout (Zone3), Barnstaple, Devon
Site Code Reference	52

Camera Calibration				
Camera Number	Camera Serial Number	Primary Clock Frequency	Secondary Clock Frequency	Site Calibrated By
3-1	NW170200724-1169	Derived By GPS	999.9987	Stephen Pigden
4-1	NW170200724-1178	Derived By GPS	1000.0019	Stephen Pigden

ERCU Configuration	
ERCU Serial Number	CA40100124191
ERCU Site Configuration Data File	SCD20241213074321
SCD File Checksum	C7
SCD File in use from	13/12/2024 07:43:21

Calibration Tools				
Racelogic Vbox	Serial Number:	088629	Calibrated Date:	27/09/2024
Frequency Counter	Serial Number:	556242	Calibrated Date:	11/07/2024
Handwheel	Serial Number:	000069	Calibrated Date:	09/10/2024
Measuring Tape	Serial Number:	SP-VYS-01	Calibrated Date:	04/12/2024
Laser Measure	Serial Number:	332320238	Calibrated Date:	21/03/2024



Certificate of Calibration

SPECS3

Speed Enforcement Zone

"I confirm that the Average Speed Enforcement Zone described below has been calibrated to the documented parameters as recorded below using measurement devices calibrated to National Standards in accordance with the Home Office Type Approval for the SPECS3 device

All parts and components used in Device Serial Number: CA40100124191
including any replaced are identical to those used in the device as Type-Approved"

Signed by:

A handwritten signature in blue ink, appearing to read "Derek Penn".

Derek Penn

Director of Operations

Calibrating Engineer:

Stephen Pigden

Site Name:

A361 E/B btwn Blakes Hill and Aller Cross
Roundabout (Zone4), Barnstaple, Devon

Site Code ref:

53

Direction:

Eastbound

Baseline Length:

4137 metres

Date Measured:

09/12/2024

Home Office Type Approval requires this device to be re-calibrated once every 2 years. The Baseline distance is measured at the time of initial calibration and only re-measured if the road layout has changed.

Calibration Date:

09/12/2024

Valid Until:

03/12/2026

CRT7457



Location	
Site Name	A361 E/B btwn Blakes Hill and Aller Cross Roundabout (Zone4), Barnstaple, Devon
Site Code Reference	53

Camera Calibration				
Camera Number	Camera Serial Number	Primary Clock Frequency	Secondary Clock Frequency	Site Calibrated By
4-1	NW170200724-1178	Derived By GPS	1000.0019	Stephen Pigden
5-1	NW170200724-1166	Derived By GPS	999.9983	Stephen Pigden

ERCU Configuration	
ERCU Serial Number	CA40100124191
ERCU Site Configuration Data File	SCD20241213074321
SCD File Checksum	C7
SCD File in use from	13/12/2024 07:43:21

Calibration Tools				
Racelogic Vbox	Serial Number:	088629	Calibrated Date:	27/09/2024
Frequency Counter	Serial Number:	556242	Calibrated Date:	11/07/2024
Handwheel	Serial Number:	000069	Calibrated Date:	09/10/2024
Measuring Tape	Serial Number:	SP-VYS-01	Calibrated Date:	04/12/2024
Laser Measure	Serial Number:	332320238	Calibrated Date:	21/03/2024



Certificate of Calibration

SPECS3

Speed Enforcement Zone

"I confirm that the Average Speed Enforcement Zone described below has been calibrated to the documented parameters as recorded below using measurement devices calibrated to National Standards in accordance with the Home Office Type Approval for the SPECS3 device

All parts and components used in Device Serial Number: CA40100124191
including any replaced are identical to those used in the device as Type-Approved"

Signed by:

A handwritten signature in blue ink, appearing to read "Derek Penn".

Derek Penn

Director of Operations

Calibrating Engineer:

Stephen Pigden

Site Name:

A361 W/B btwn Aller Cross and Blakes Hill
Roundabout (Zone4), Barnstaple, Devon

Site Code ref:

54

Direction:

Westbound

Baseline Length:

4135 metres

Date Measured:

09/12/2024

Home Office Type Approval requires this device to be re-calibrated once every 2 years. The Baseline distance is measured at the time of initial calibration and only re-measured if the road layout has changed.

Calibration Date:

09/12/2024

Valid Until:

03/12/2026

CRT7458



Location

Site Name	A361 W/B btwn Aller Cross and Blakes Hill Roundabout (Zone4), Barnstaple, Devon
Site Code Reference	54

Camera Calibration

Camera Number	Camera Serial Number	Primary Clock Frequency	Secondary Clock Frequency	Site Calibrated By
6-1	NW170200924-1201	Derived By GPS	999.9983	Stephen Pigden
6-2	NW170200924-1201	Derived By GPS	999.9983	Stephen Pigden
7-1	NW170200924-1216	Derived By GPS	1000.0008	Stephen Pigden
7-2	NW170200924-1216	Derived By GPS	1000.0008	Stephen Pigden

ERCU Configuration

ERCU Serial Number	CA40100124191
ERCU Site Configuration Data File	SCD20241213074321
SCD File Checksum	C7
SCD File in use from	13/12/2024 07:43:21

Calibration Tools

Racelogic Vbox	Serial Number:	088629	Calibrated Date:	27/09/2024
Frequency Counter	Serial Number:	556242	Calibrated Date:	11/07/2024
Handwheel	Serial Number:	000069	Calibrated Date:	09/10/2024
Measuring Tape	Serial Number:	SP-VYS-01	Calibrated Date:	04/12/2024
Laser Measure	Serial Number:	332320238	Calibrated Date:	21/03/2024



Certificate of Calibration

SPECS3

Speed Enforcement Zone

"I confirm that the Average Speed Enforcement Zone described below has been calibrated to the documented parameters as recorded below using measurement devices calibrated to National Standards in accordance with the Home Office Type Approval for the SPECS3 device

All parts and components used in Device Serial Number: CA40100124191
including any replaced are identical to those used in the device as Type-Approved"

Signed by:

A handwritten signature in blue ink, appearing to read "Derek Penn".

Derek Penn

Director of Operations

Calibrating Engineer:

Stephen Pigden

Site Name:

A361 W/B btwn Aller Cross and Blakes Hill
Roundabout (Zone3), Barnstaple, Devon

Site Code ref:

55

Direction:

Westbound

Baseline Length:

3690 metres

Date Measured:

09/12/2024

Home Office Type Approval requires this device to be re-calibrated once every 2 years. The Baseline distance is measured at the time of initial calibration and only re-measured if the road layout has changed.

Calibration Date:

09/12/2024

Valid Until:

02/12/2026

CRT7459



Location

Site Name	A361 W/B btwn Aller Cross and Blakes Hill Roundabout (Zone3), Barnstaple, Devon
Site Code Reference	55

Camera Calibration

Camera Number	Camera Serial Number	Primary Clock Frequency	Secondary Clock Frequency	Site Calibrated By
7-1	NW170200924-1216	Derived By GPS	1000.0008	Stephen Pigden
8-1	NW170200924-1214	Derived By GPS	1000.0000	Stephen Pigden

ERCU Configuration

ERCU Serial Number	CA40100124191
ERCU Site Configuration Data File	SCD20241213074321
SCD File Checksum	C7
SCD File in use from	13/12/2024 07:43:21

Calibration Tools

Racelogic Vbox	Serial Number:	088629	Calibrated Date:	27/09/2024
Frequency Counter	Serial Number:	556242	Calibrated Date:	11/07/2024
Handwheel	Serial Number:	000069	Calibrated Date:	09/10/2024
Measuring Tape	Serial Number:	SP-VYS-01	Calibrated Date:	03/12/2024
Laser Measure	Serial Number:	332320238	Calibrated Date:	21/03/2024



Certificate of Calibration

SPECS3

Speed Enforcement Zone

"I confirm that the Average Speed Enforcement Zone described below has been calibrated to the documented parameters as recorded below using measurement devices calibrated to National Standards in accordance with the Home Office Type Approval for the SPECS3 device

All parts and components used in Device Serial Number: CA40100124191
including any replaced are identical to those used in the device as Type-Approved"

Signed by:

A handwritten signature in blue ink, appearing to read "Derek Penn".

Derek Penn

Director of Operations

Calibrating Engineer:

Stephen Pigden

Site Name:

A361 W/B btwn Aller Cross and Blakes Hill
Roundabout (Zone2), Barnstaple, Devon

Site Code ref:

56

Direction:

Westbound

Baseline Length:

2257 metres

Date Measured:

09/12/2024

Home Office Type Approval requires this device to be re-calibrated once every 2 years. The Baseline distance is measured at the time of initial calibration and only re-measured if the road layout has changed.

Calibration Date:

09/12/2024

Valid Until:

02/12/2026

CRT7460



Location

Site Name	A361 W/B btwn Aller Cross and Blakes Hill Roundabout (Zone2), Barnstaple, Devon
Site Code Reference	56

Camera Calibration

Camera Number	Camera Serial Number	Primary Clock Frequency	Secondary Clock Frequency	Site Calibrated By
8-1	NW170200924-1214	Derived By GPS	1000.0000	Stephen Pigden
9-1	NW170200824-1181	Derived By GPS	999.9983	Stephen Pigden

ERCU Configuration

ERCU Serial Number	CA40100124191
ERCU Site Configuration Data File	SCD20241213074321
SCD File Checksum	C7
SCD File in use from	13/12/2024 07:43:21

Calibration Tools

Racelogic Vbox	Serial Number:	088629	Calibrated Date:	27/09/2024
Frequency Counter	Serial Number:	556242	Calibrated Date:	11/07/2024
Handwheel	Serial Number:	000069	Calibrated Date:	09/10/2024
Measuring Tape	Serial Number:	SP-VYS-01	Calibrated Date:	03/12/2024
Laser Measure	Serial Number:	332320238	Calibrated Date:	21/03/2024



Certificate of Calibration

SPECS3

Speed Enforcement Zone

"I confirm that the Average Speed Enforcement Zone described below has been calibrated to the documented parameters as recorded below using measurement devices calibrated to National Standards in accordance with the Home Office Type Approval for the SPECS3 device

All parts and components used in Device Serial Number: CA40100124191
including any replaced are identical to those used in the device as Type-Approved"

Signed by:

A handwritten signature in blue ink, appearing to read "Derek Penn".

Derek Penn
Director of Operations

Calibrating Engineer:

Stephen Pigden

Site Name:

A361 W/B btwn Aller Cross and Blakes Hill
Roundabout (Zone1), Barnstaple, Devon

Site Code ref:

57

Direction:

Westbound

Baseline Length:

818 metres

Date Measured:

09/12/2024

Home Office Type Approval requires this device to be re-calibrated once every 2 years. The Baseline distance is measured at the time of initial calibration and only re-measured if the road layout has changed.

Calibration Date:

09/12/2024

Valid Until:

02/12/2026

CRT7461



Location

Site Name	A361 W/B btwn Aller Cross and Blakes Hill Roundabout (Zone1), Barnstaple, Devon
Site Code Reference	57

Camera Calibration

Camera Number	Camera Serial Number	Primary Clock Frequency	Secondary Clock Frequency	Site Calibrated By
9-1	NW170200824-1181	Derived By GPS	999.9983	Stephen Pigden
10-1	NW170200824-1183	Derived By GPS	999.9996	Stephen Pigden

ERCU Configuration

ERCU Serial Number	CA40100124191
ERCU Site Configuration Data File	SCD20241213074321
SCD File Checksum	C7
SCD File in use from	13/12/2024 07:43:21

Calibration Tools

Racelogic Vbox	Serial Number:	088629	Calibrated Date:	27/09/2024
Frequency Counter	Serial Number:	556242	Calibrated Date:	11/07/2024
Handwheel	Serial Number:	000069	Calibrated Date:	09/10/2024
Measuring Tape	Serial Number:	SP-VYS-01	Calibrated Date:	03/12/2024
Laser Measure	Serial Number:	332320238	Calibrated Date:	21/03/2024