



Certificate of Calibration

SPECS3

Speed Enforcement Zone

"I confirm that the Average Speed Enforcement Zone described below has been calibrated to the documented parameters as recorded below using measurement devices calibrated to National Standards in accordance with the Home Office Type Approval for the SPECS3 device

All parts and components used in Device Serial Number: CA710101223147
including any replaced are identical to those used in the device as Type-Approved"

Signed by:

A handwritten signature in black ink, appearing to read "Derek Penn", written over a horizontal line.

Derek Penn
Director of Operations

Calibrating Engineer:

Andrew Phillips

Site Name:

A38 GLYNN VALLEY - EAST 1 (TURFDOWN
TO TIMBER YARD) BODMIN CORNWALL

Site Code ref:

633

Direction:

Eastbound

Baseline Length:

2370 metres

Date Measured:

07/07/2020

Home Office Type Approval requires this device to be re-calibrated once every 2 years. The Baseline distance is measured at the time of initial calibration and only re-measured if the road layout has changed.

Calibration Date:

18/03/2026

Valid Until:

17/03/2028



Location	
Site Name	A38 GLYNN VALLEY - EAST 1 (TURFDOWN TO TIMBER YARD) BODMIN CORNWALL
Site Code Reference	633

Camera Calibration				
Camera Number	Camera Serial Number	Primary Clock Frequency	Secondary Clock Frequency	Site Calibrated By
7-1	SB170200820-0422	Derived By GPS	1000.0010	Andrew Phillips
6-1	SB170200220-0205	Derived By GPS	999.9992	Andrew Phillips

ERCU Configuration	
ERCU Serial Number	CA710101223147
ERCU Site Configuration Data File	SCD20260323084628
SCD File Checksum	15
SCD File in use from	23/03/2026 08:46:28

Calibration Tools				
Correxit L350 Optical Sensor	Serial Number:	639-143054	Calibrated Date:	19/02/2020
Frequency Counter	Serial Number:	510452	Calibrated Date:	11/06/2025
Measuring Tape	Serial Number:	AP001	Calibrated Date:	18/03/2026
Laser Measure	Serial Number:	1022761252	Calibrated Date:	16/05/2025



Certificate of Calibration

SPECS3

Speed Enforcement Zone

"I confirm that the Average Speed Enforcement Zone described below has been calibrated to the documented parameters as recorded below using measurement devices calibrated to National Standards in accordance with the Home Office Type Approval for the SPECS3 device

All parts and components used in Device Serial Number: CA710101223147
including any replaced are identical to those used in the device as Type-Approved"

Signed by:

A handwritten signature in black ink, appearing to read "Derek Penn".

Derek Penn
Director of Operations

Calibrating Engineer:

Andrew Phillips

Site Name:

A38 GLYNN VALLEY - EAST 2 (HALFWAY
HOUSE TO CARNGLAZE) ST NEOT
CORNWALL

Site Code ref:

634

Direction:

Eastbound

Baseline Length:

2843 metres

Date Measured:

07/07/2020

Calibration Date:

19/03/2026

Valid Until:

17/03/2028

CRT8324



Location	
Site Name	A38 GLYNN VALLEY - EAST 2 (HALFWAY HOUSE TO CARNGLAZE) ST NEOT CORNWALL
Site Code Reference	634

Camera Calibration				
Camera Number	Camera Serial Number	Primary Clock Frequency	Secondary Clock Frequency	Site Calibrated By
5-1	NW170201221-0554	Derived By GPS	999.9996	Andrew Phillips
3-1	SB170200220-0204	Derived By GPS	999.9991	Andrew Phillips

ERCU Configuration	
ERCU Serial Number	CA710101223147
ERCU Site Configuration Data File	SCD20260323084628
SCD File Checksum	15
SCD File in use from	23/03/2026 08:46:28

Calibration Tools				
Correxit L350 Optical Sensor	Serial Number:	639-143054	Calibrated Date:	19/02/2020
Frequency Counter	Serial Number:	510452	Calibrated Date:	11/06/2025
Measuring Tape	Serial Number:	AP001	Calibrated Date:	18/03/2026
Measuring Tape	Serial Number:	AP001	Calibrated Date:	19/03/2026
Laser Measure	Serial Number:	1022761252	Calibrated Date:	16/05/2025



Certificate of Calibration

SPECS3

Speed Enforcement Zone

"I confirm that the Average Speed Enforcement Zone described below has been calibrated to the documented parameters as recorded below using measurement devices calibrated to National Standards in accordance with the Home Office Type Approval for the SPECS3 device

All parts and components used in Device Serial Number: CA710101223147
including any replaced are identical to those used in the device as Type-Approved"

Signed by:

A handwritten signature in black ink, appearing to read "Derek Penn", written over a horizontal line.

Derek Penn
Director of Operations

Calibrating Engineer:

Andrew Phillips

Site Name:

A38 GLYNN VALLEY - EAST 3 (CARNGLAZE
TO DOUBLEBOIS) ST NEOT CORNWALL

Site Code ref:

635

Direction:

Eastbound

Baseline Length:

1337 metres

Date Measured:

07/07/2020

Home Office Type Approval requires this device to be re-calibrated once every 2 years. The Baseline distance is measured at the time of initial calibration and only re-measured if the road layout has changed.

Calibration Date:

19/03/2026

Valid Until:

18/03/2028

CRT8325



Location	
Site Name	A38 GLYNN VALLEY - EAST 3 (CARNGLAZE TO DOUBLEBOIS) ST NEOT CORNWALL
Site Code Reference	635

Camera Calibration				
Camera Number	Camera Serial Number	Primary Clock Frequency	Secondary Clock Frequency	Site Calibrated By
3-1	SB170200220-0204	Derived By GPS	999.9991	Andrew Phillips
1-1	SB170200220-0246	Derived By GPS	1000.0012	Andrew Phillips
1-2	SB170200220-0246	Derived By GPS	1000.0012	Andrew Phillips

ERCU Configuration	
ERCU Serial Number	CA710101223147
ERCU Site Configuration Data File	SCD20260323084628
SCD File Checksum	15
SCD File in use from	23/03/2026 08:46:28

Calibration Tools				
Correxit L350 Optical Sensor	Serial Number:	639-143054	Calibrated Date:	19/02/2020
Frequency Counter	Serial Number:	510452	Calibrated Date:	11/06/2025
Measuring Tape	Serial Number:	AP001	Calibrated Date:	19/03/2026
Laser Measure	Serial Number:	1022761252	Calibrated Date:	16/05/2025



Certificate of Calibration

SPECS3

Speed Enforcement Zone

"I confirm that the Average Speed Enforcement Zone described below has been calibrated to the documented parameters as recorded below using measurement devices calibrated to National Standards in accordance with the Home Office Type Approval for the SPECS3 device

All parts and components used in Device Serial Number: CA710101223147
including any replaced are identical to those used in the device as Type-Approved"

Signed by:

A handwritten signature in black ink, appearing to read "Derek Penn".

Derek Penn
Director of Operations

Calibrating Engineer:

Andrew Phillips

Site Name:

A38 GLYNN VALLEY - WEST 1
(DOUBLEBOIS TO CARNGLAZE) LISKEARD
CORNWALL

Site Code ref:

636

Direction:

Westbound

Baseline Length:

1336 metres

Date Measured:

07/07/2020

Home Office Type Approval requires this device to be re-calibrated once every 2 years. The Baseline distance is measured at the time of initial calibration and only re-measured if the road layout has changed.

Calibration Date:

19/03/2026

Valid Until:

18/03/2028

CRT8326



Location	
Site Name	A38 GLYNN VALLEY - WEST 1 (DOUBLEBOIS TO CARNGLAZE) LISKEARD CORNWALL
Site Code Reference	636

Camera Calibration				
Camera Number	Camera Serial Number	Primary Clock Frequency	Secondary Clock Frequency	Site Calibrated By
2-1	SB170200220-0244	Derived By GPS	999.9998	Andrew Phillips
4-1	SB170200220-0206	Derived By GPS	999.9989	Andrew Phillips

ERCU Configuration	
ERCU Serial Number	CA710101223147
ERCU Site Configuration Data File	SCD20260323084628
SCD File Checksum	15
SCD File in use from	23/03/2026 08:46:28

Calibration Tools				
Correxit L350 Optical Sensor	Serial Number:	639-143054	Calibrated Date:	19/02/2020
Frequency Counter	Serial Number:	510452	Calibrated Date:	11/06/2025
Measuring Tape	Serial Number:	AP001	Calibrated Date:	19/03/2026
Laser Measure	Serial Number:	1022761252	Calibrated Date:	16/05/2025



Certificate of Calibration

SPECS3

Speed Enforcement Zone

"I confirm that the Average Speed Enforcement Zone described below has been calibrated to the documented parameters as recorded below using measurement devices calibrated to National Standards in accordance with the Home Office Type Approval for the SPECS3 device

All parts and components used in Device Serial Number: CA710101223147
including any replaced are identical to those used in the device as Type-Approved"

Signed by:

A handwritten signature in black ink, appearing to read "Derek Penn", written over a horizontal line.

Derek Penn
Director of Operations

Calibrating Engineer:

Andrew Phillips

Site Name:

A38 GLYNN VALLEY - WEST 2 (CARNGLAZE
TO HALFWAY HOUSE) ST NEOT CORNWALL

Site Code ref:

637

Direction:

Westbound

Baseline Length:

2842 metres

Date Measured:

07/07/2020

Home Office Type Approval requires this device to be re-calibrated once every 2 years. The Baseline distance is measured at the time of initial calibration and only re-measured if the road layout has changed.

Calibration Date:

19/03/2026

Valid Until:

17/03/2028

CRT8327



Location	
Site Name	A38 GLYNN VALLEY - WEST 2 (CARNGLAZE TO HALFWAY HOUSE) ST NEOT CORNWALL
Site Code Reference	637

Camera Calibration				
Camera Number	Camera Serial Number	Primary Clock Frequency	Secondary Clock Frequency	Site Calibrated By
4-1	SB170200220-0206	Derived By GPS	999.9989	Andrew Phillips
5-2	NW170201221-0554	Derived By GPS	999.9996	Andrew Phillips

ERCU Configuration	
ERCU Serial Number	CA710101223147
ERCU Site Configuration Data File	SCD20260323084628
SCD File Checksum	15
SCD File in use from	23/03/2026 08:46:28

Calibration Tools				
Correxit L350 Optical Sensor	Serial Number:	639-143054	Calibrated Date:	19/02/2020
Frequency Counter	Serial Number:	510452	Calibrated Date:	11/06/2025
Measuring Tape	Serial Number:	AP001	Calibrated Date:	18/03/2026
Laser Measure	Serial Number:	AP001	Calibrated Date:	19/03/2026
Laser Measure	Serial Number:	1022761252	Calibrated Date:	16/05/2025



Certificate of Calibration

SPECS3

Speed Enforcement Zone

"I confirm that the Average Speed Enforcement Zone described below has been calibrated to the documented parameters as recorded below using measurement devices calibrated to National Standards in accordance with the Home Office Type Approval for the SPECS3 device

All parts and components used in Device Serial Number: CA710101223147
including any replaced are identical to those used in the device as Type-Approved"

Signed by:

A handwritten signature in black ink, appearing to read "Derek Penn", written over a horizontal line.

Derek Penn
Director of Operations

Calibrating Engineer:

Andrew Phillips

Site Name:

A38 GLYNN VALLEY - WEST 3 (TIMBER
YARD TO TURFDOWN) CARDYNHAM
CORNWALL

Site Code ref:

638

Direction:

Westbound

Baseline Length:

2370 metres

Date Measured:

07/07/2020

Home Office Type Approval requires this device to be re-calibrated once every 2 years. The Baseline distance is measured at the time of initial calibration and only re-measured if the road layout has changed.

Calibration Date:

18/03/2026

Valid Until:

17/03/2028

CRT8328



Location	
Site Name	A38 GLYNN VALLEY - WEST 3 (TIMBER YARD TO TURFDOWN) CARDYNHAM CORNWALL
Site Code Reference	638

Camera Calibration				
Camera Number	Camera Serial Number	Primary Clock Frequency	Secondary Clock Frequency	Site Calibrated By
6-2	SB170200220-0205	Derived By GPS	999.9992	Andrew Phillips
7-2	SB170200820-0422	Derived By GPS	1000.0010	Andrew Phillips

ERCU Configuration	
ERCU Serial Number	CA710101223147
ERCU Site Configuration Data File	SCD20260323084628
SCD File Checksum	15
SCD File in use from	23/03/2026 08:46:28

Calibration Tools				
Correxit L350 Optical Sensor	Serial Number:	639-143054	Calibrated Date:	19/02/2020
Frequency Counter	Serial Number:	510452	Calibrated Date:	11/06/2025
Measuring Tape	Serial Number:	AP001	Calibrated Date:	18/03/2026
Laser Measure	Serial Number:	1022761252	Calibrated Date:	16/05/2025